


# MONTERINGSANVISNING · INSTALLATION INSTRUCTIONS MONTAGEANLEITUNG · INSTRUCTIONS DE MONTAGE

## **Booster Cushion**

Accessories Part No.	Group	Date	Instruction Part No.	Replaces
12 799 915 12 823 259 93 199 580	9:88-17	Dec 09	12 799 000	Mar 07



E980A423

#### **Important**



Read all instructions before using the booster cushion. The booster cushion may **under no circumstances** be fitted in any manner other than that described in these installation instructions.

Approved for forward-facing use according to ECE R44.04 Group 2+3 for children from 3-10 years old or 15-36 kg. The booster cushion is approved only in combination with 3-point belts that meet ECE R16 or equivalent standards.

### **MARNING**


If the car is equipped with a front passenger airbag, the booster cushion **must absolutely not** be fitted in this seat.

Before fitting the booster cushion in the front passenger seat, make sure that the car does not have a front passenger airbag. On cars equipped with a front passenger airbag, the text **AIRBAG** and/or **SRS** is found on the dashboard in front of the passenger seat and there is a label on the passenger side sun visor or the end of the dashboard on the passenger side. In certain markets, there is also a label on the dashboard shell in front of the passenger seat or on the sun visor.

#### **Important**

Become acquainted with national regulations regarding child seat placement.

- The booster cushion must be used in a position where there is a head restraint.
- The child must always be strapped in, even for short journeys.
- Make sure that the seat belt that is used with the booster cushion is routed appropriately and has not become pinched in the door.
- Make sure the belt is not twisted and that it is resting firmly against the child's body. It is important that the lap belt is across the hip and not the abdomen.
- Never leave a child on the booster cushion without supervision.
- If the booster cushion has been in use during a collision it must **never** be used again.
- The child seat could be damaged by being caught in the door, for example.
- Be aware that the booster cushion can become very hot if it is left in the sun.
- No additions or modifications may be made to the booster cushion without the approval of the manufacturer.
- The seat must always be strapped into the car, even when unoccupied. There is otherwise risk of it injuring the driver or passengers during emergency braking or in case of a collision.
- If the rear seat can be folded down, make sure the backrest is properly locked in the upright position.
- All loads should be well secured.
- The child seat must not be used without upholstery. The original upholstery should be used.
- Washing advice:
  See the label sewn inside the seat upholstery.
- Contact your nearest Saab dealer if you have any questions.



#### **Fitting**

## **WARNING**

If the car is equipped with a front passenger airbag, the booster cushion must absolutely not be fitted in this seat.

Before fitting the booster cushion in the front passenger seat, make sure that the car does not have a front passenger airbag. On cars equipped with a front passenger airbag, the text AIRBAG and/or SRS is found on the dashboard in front of the passenger seat and there is a label on the passenger side sun visor or the end of the dashboard on the passenger side. In certain markets, there is also a label on the dashboard shell in front of the passenger seat or on the sun visor.

- 1 Position the booster cushion on the seat so that it lies against the seat backrest. The booster cushion must be used in a position where there is a head restraint.
- 2 Seat the child on the booster cushion and check that the child is sitting comfortably with his/her back resting against the backrest.
- 3 Pull both the shoulder and the hip belts over the child and buckle them in. Both the shoulder and the hip belts should pass under the booster cushion's belt positioning arms on the latch side of the belt, but only the hip belt should pass under the belt positioning arm on the other side.

4 Make sure the belt is not twisted and that it rests firmly against the body of the child. It is important that the lap belt is resting on the hipbone and not across the abdomen. The diagonal part must be firm against the child's shoulder.